




Sneak peak at the 9.3
ArcGIS JavaScript APIs
&
ArcGIS Server REST API

Jeremiah Lindemann UGIC 2008




ArcGIS Server 9.3

- Complete & Integrated server-based GIS
- Out-of-the-box applications and services
- Rich developer opportunities



Publishing maps

- Publish high quality maps
- Support for Identify, Find, Select, Query, and other analysis
- Build cached map services
 - High performance map services
 - Tiles pre-rendered at fixed scales
 - Rapid display of static-base maps
 - Rich cartographic symbols with high performance



What is the Web ADF?

- Web Application Developer Framework is
 - An SDK for building GIS applications
 - A runtime for deploying GIS applications
- Built on the Microsoft .NET or Java framework
- Generic interface to a variety of GIS datasources
- Only way of making web applications at 9.2
 - -Still supported and enhanced at 9.3
 - Full development platform
 - Javascript available to quickly plug maps/general spatial queries into a web site

Building Enterprise Mashups with ArcGIS Server

- Develop custom JavaScript applications that mashup ArcGIS services, Google Maps, and Microsoft Virtual Earth
- You can build ArcGIS Server Web applications using pure JavaScript APIs powered by backend REST services
- ArcGIS Server hosts a Services Explorer
 - Used by developer while building mashup application
- No development or deployment license is required on the Web server hosting your application

Why JavaScript?

- JavaScript is one of the most used languages in the world
- Pure client development
- Its not early 2000 any more
 - JS Frameworks abstract away the browser complexity
- Stability
 - No new changes in ECMAScript since 1999
- A path for HTML Viewer developers


- Embed maps and tasks from any ArcGIS Server into your website
- Use content provided by ESRI or use your own content as a basemap
- Map can be in any supported projection
 - This is a big advantage...
- Built on top of Dojo JavaScript toolkit
 - Graphics support, community, Dijits

- Maps
 - Tiled
 - Dynamic
- Graphics (geometry + attributes + symbol + InfoWindow)
- Tasks
 - QueryTask
 - Locator
 - FindTask
 - IdentifyTask
 - Geoprocessor (synchronous or asynchronous)
 - As data or as map image

- Online SDK
 - http://resources.esri.com/arcgisserver/apis/javascript/arcgis
 - Sample driven
 - Samples powered by an ArcGIS Server sample server
 - http://sampleserver1.arcgisonline.com/arcgis/rest/ser vices
 - http://sampleserver2.arcgisonline.com/arcgis/rest/services
- JavaScript hosted by ESRI
 - http://serverapi.arcgisonline.com/jsapi/arcgis/?v=1
 - Flexible release cycle
 - Hosted by ArcGIS Online
 - 24/7

ArcGIS JavaScript API Applications

- Can be a very simple user application, but still provides sophisticated functionality
 - http://servery.esri.com/arcgisserver/apis/javascript/arcgis/demos/Geoprocessor/GPServiceArea.html
- Integrate with other Web 2.0 libraries
 - http://serverx.esri.com/ArcGISJavaScriptAPI/supertuesday.html
 - Google Charts
- GIS information and analysis
 - http://yeti2.esri.com/MailingList/demo_mailingList.html



ArcGIS JavaScript Extension for Virtual Earth

- Combine GIS content hosted in ArcGIS Server with content on top of Virtual Earth base maps.
- Works with backend ArcGIS Server services.
- Content (VE Shapes, Tiles) can be viewed in 2D or 3D
- Tiled Maps are in the WGS 1984 Web Mercator projection
 - -WKID: 102113
 - Same as Google Maps

ArcGIS JavaScript Extension for Virtual Earth

- Online SDK
 - http://resources.esri.com/arcgisserver/apis/javascript/ve
 - Interactive SDK
 - Samples powered by an ArcGIS Server sample server
 - http://sampleserver1.arcgisonline.com/arcgis/rest/ser vices
 - http://sampleserver2.arcgisonline.com/arcgis/rest/services
- JavaScript hosted by ESRI
 - http://serverapi.arcgisonline.com/jsapi/ve/?v=1
 - Flexible release cycle
 - Hosted by ArcGIS Online
 - 24/7

ArcGIS JS Extension for VE Applications

- Build Mashups with Virtual Earth
- Interact with your data on a VE base map
- Push GIS analysis to the general public

- Combine GIS content hosted in ArcGIS Server with content on top of Google Maps base maps
 - Must have Google API key
- Works with backend ArcGIS Server services
- Query, geoprocessing, locating tasks available as well
 - Not just a map!
- Tiled Maps are in the WGS 1984 Web Mercator projection
 - -WKID: 102113
 - -Same as VE

- Online SDK
 - http://resources.esri.com/arcgisserver/apis/javascript/gmaps
 - Sample driven, SDK is in Google Maps Style
 - Samples powered by an ArcGIS Server sample server
 - http://sampleserver1.arcgisonline.com/arcgis/rest
 - http://sampleserver2.arcgisonline.com/arcgis/rest
- JavaScript hosted by ESRI
 - http://serverapi.arcgisonline.com/jsapi/gmaps/?v=1
 - Flexible release cycle
 - Hosted by ArcGIS Online
 - 24/7

- Build Mashups with Google Maps
 - http://servery.esri.com/arcgisserver/apis/javascript/gmaps/samples/queryTask/QueryTask_Portland.html
- Interact with GIS data on Google Maps base map
 - http://servery.esri.com/arcgisserver/apis/javascript/gmaps/samples/ /utilities/bufferTaskResults.html
- Push GIS analysis to the general public
 - http://servery.esri.com/javascript/gmaps/samples/geoprocessor/GPProfileFromRoute.html

REST API for ArcGIS Server

What is REST?

- Representational State Transfer
- Hierarchy of resources
- Wget, curl, Ruby, Python, Perl, Java, .NET, JavaScript, ...
 - Interoperable
- Bookmark-able
- Requests to the REST API are through HTTP GETs
 - Eliminates cross-domain issues (HTTP Post) for most requests
- Browser is the new command line

ArcGIS Server 9.3 REST API

- Simple view of ArcGIS Server
- All GIS Services are exposed as resources
 - Service level metadata
- Some resources have operations
 - Map Service (export, find, identify)
 - Map Service Layers (query)
 - Image Services (export)
 - Geocode Service (findAddressCandidates, Reverse Geocode)
 - Geoprocessing (execute, submit job)
 - Geometry Service (project, simplify, and others*)


ArcGIS Server 9.3 REST API

- Resources and operations results can be returned as:
 - HTML (Services Explorer--default)
 - IMAGE (direct streamed image)
 - KML (Google Earth, Google Maps, Virtual Earth)
 - JSON (developers)
 - JavaScript Object Notation

Give me an example....

- Base Map URL: http://sampleserver1.arcgisonline.com/ArcGIS/rest/servic es/Petroleum/KGS_OilGasFields_Kansas/MapServer/
- Export operation
 baseUrl/export?bbox=-102,34.7,-94,42&f=image

Exports map based on query parameters specified in the URL



Other new 9.3 enhancments

- Improved Caching workflows
 - –Cache on the fly
- WebADF improvements
 - -Performance
 - Internal improvements/.Net AJAX
 - Out of the box printing

Questions?